

On the robustness of symmetric systems¹

Li Qiu*

*Department of Electrical and Electronic Engineering, Hong Kong University of Science and Technology,
Clear Water Bay, Kowloon, Hong Kong*

Abstract

This note concerns the robustness of LTI symmetric systems under symmetric or diagonal perturbations. It is shown that for symmetric systems the robust stability condition for dynamic perturbations given by the small gain theorem is also necessary if the perturbation matrix is assumed to be diagonal, but the robust stability condition for parametric perturbations given by the real stability radius is no longer necessary if the perturbation matrix is merely assumed to be symmetric.

Keywords: Stability; Robustness; Symmetric systems; Small gain theorem; Takagi factorization; Real stability radius

1. Introduction

Systems with symmetric transfer matrices often occur in real world applications. For example, consider a space structure with collocated sensors and actuators described by

$$M\ddot{q} + D\dot{q} + Kq = Lu, \quad y = L^T q, \quad (1)$$

where the mass matrix M , damping matrix D , and stiffness matrix K are all real symmetric matrices. The transfer matrix of this space structure,

$$P(s) = L^T(Ms^2 + Ds + K)^{-1}L,$$

is clearly symmetric, i.e., $P^T = P$. Such systems are called symmetric systems.

In the control of symmetric systems, symmetric controllers offer some advantages and are often used [6, 5]. In this case, the stability and performance robustness analysis of the closed-loop system will often become the analysis of the \mathcal{RH}_∞ (real rational matrices bounded in $\text{Re}(s) > 0$) invertibility of $I - \Delta G$, where G is a fixed symmetric \mathcal{RH}_∞ transfer matrix and Δ is an uncertain \mathcal{RH}_∞ transfer matrix, representing dynamic perturbation, or an uncertain real matrix, representing parametric perturbation. For example, assume that a symmetric stabilizing feedback controller C is used to control the space structure in (1); if P is subject to an additive perturbation $P \rightarrow P + \Delta$, where Δ is an uncertain \mathcal{RH}_∞ transfer matrix, then $G = C(I - PC)^{-1}$ which is symmetric; or if the only perturbation comes from an uncertain damping matrix $D \rightarrow D + \Delta$, where Δ is an uncertain real matrix, then $G(s) = [Ms^2 + Ds + K - LC(s)L^T]^{-1}s$ which is also symmetric. In general,

* Tel: 852-2358-7067; fax: 852-2358-1485; email: eeqiu@ee.ust.hk.

¹ Supported by Hong Kong Research Grants Council.

perturbations in the space structure, such as that caused by gyroscopic force and the imprecise collocation of sensor and actuator characteristics, can lead to asymmetric Δ . For computing the stability margins of a system when asymmetric Δ is possible, the following formulas, due to [1] and [7], respectively, are instrumental:

$$\inf\{\|\Delta\|_\infty: \Delta \in \mathcal{RH}_\infty, (I - \Delta G)^{-1} \notin \mathcal{RH}_\infty\} = \|G\|_\infty^{-1} \quad (2)$$

and

$$\inf\{\sigma_1(\Delta): \Delta \text{ is a real matrix}, (I - \Delta G)^{-1} \notin \mathcal{RH}_\infty\} = \left\{ \sup_{\omega \in \mathbb{R} \cup \{\infty\}} \mu_{\mathbb{R}}[G(j\omega)] \right\}^{-1} \quad (3)$$

where, for complex matrix M ,

$$\mu_{\mathbb{R}}(M) = \inf_{\gamma \in (0,1]} \sigma_2 \left(\begin{bmatrix} \operatorname{Re} M & -\gamma \operatorname{Im} M \\ \gamma^{-1} \operatorname{Im} M & \operatorname{Re} M \end{bmatrix} \right).$$

Here $\sigma_i(\cdot)$ is used to denote the i th singular value assuming nonincreasing order.

However, if the only source of uncertainty in the space structure is the dynamics of the structure or the parameters of M , D , K matrices, then Δ will always be a symmetric matrix. This motivates us to study

$$\inf\{\|\Delta\|_\infty: \Delta \in \mathcal{RH}_\infty, \Delta \text{ is symmetric}, (I - \Delta G)^{-1} \notin \mathcal{RH}_\infty\} \quad (4)$$

and

$$\inf\{\sigma_1(\Delta): \Delta \text{ is a real symmetric matrix}, (I - \Delta G)^{-1} \notin \mathcal{RH}_\infty\}. \quad (5)$$

Clearly, (4) is greater than or equal to (2) and (5) is greater than or equal to (3). Our concerns are if (4) is equal to (2) and if (5) is equal to (3). We will also investigate

$$\inf\{\|\Delta\|_\infty: \Delta \in \mathcal{RH}_\infty, \Delta \text{ is diagonal}, (I - \Delta G)^{-1} \notin \mathcal{RH}_\infty\} \quad (6)$$

and

$$\inf\{\sigma_1(\Delta): \Delta \text{ is a real diagonal matrix}, (I - \Delta G)^{-1} \notin \mathcal{RH}_\infty\}. \quad (7)$$

(6) and (7) are important in their own right because of their obvious connections to robust stability under structured perturbations [8, 2]. They are studied in our context mainly because of their connection with (4) and (5). Since diagonal matrices are special symmetric matrices, it follows that if (6) is equal to (2), so is (4); and, on the other hand, if (4) is not equal to (2), neither is (6). A similar argument applies to the relationship between (3), (5), and (7). In Section 2 we show that (6) and hence (4) are equal to (2). In Section 3 we show that (5) and hence (7) can be greater than (3) in general.

(6) has also been studied in [9, 10]. It was shown in [9] that (6) is equal to (2) under an unnatural assumption on the multiplicity of the singular values of $G(j\omega)$. After the present paper was submitted, [10] was published, which removed the assumption. Hence the result in [10] has priority over the present one; however, the proof in Section 2 is different from that in [10] and is based on the less well-known but very elegant Takagi factorization [4, pp. 204–205].

2. Dynamic perturbation

Theorem. Let $G \in \mathcal{RH}_\infty$ and $G^T = G$. Then

$$\inf\{\|\Delta\|_\infty: \Delta \in \mathcal{RH}_\infty, \Delta \text{ is diagonal}, (I - \Delta G)^{-1} \notin \mathcal{RH}_\infty\} = \|G\|_\infty^{-1}.$$

Proof. It follows from (2) immediately that the left-hand side is greater than or equal to the right-hand side. What remains to be shown is the opposite inequality. Assume that G is m by m and that $\|G\|_\infty = \sigma_1[G(j\omega_0)]$ for some $\omega_0 \in [0, \infty]$. Since $G(j\omega_0)$ is a complex symmetric matrix, it has a Takagi factorization

$$G(j\omega_0) = U\Sigma U^T$$

where $U = [u_1 \ u_2 \ \dots \ u_m]$ is unitary and $\Sigma = \text{diag}(\sigma_1, \sigma_2, \dots, \sigma_m)$. Here $\sigma_1, \sigma_2, \dots, \sigma_m$ are singular values of $G(j\omega_0)$, ordered nonincreasingly. Now write

$$u_1^T = [u_{11}e^{-j\theta_1} \ u_{12}e^{-j\theta_2} \ \dots \ u_{1m}e^{-j\theta_m}]$$

such that u_{1i} are real and $\theta_i \in [0, \pi)$. Notice that if $\omega_0 = 0$ or ∞ , then $\theta_i = 0$. Let $\delta_i = (1/\sigma_1)\alpha_i$, where α_i is an inner real rational function such that $\alpha_i(j\omega_0) = e^{j2\theta_i}$, and define

$$\Delta = \text{diag}(\delta_1, \delta_2, \dots, \delta_m).$$

Then $\|\Delta\|_\infty = 1/\sigma_1 = \|G\|_\infty^{-1}$ and

$$[I - \Delta(j\omega_0)G(j\omega_0)]\bar{u}_1 = [I - \Delta(j\omega_0)U\Sigma U^T]\bar{u}_1 = \bar{u}_1 - \text{diag}(e^{j2\theta_1}, e^{j2\theta_2}, \dots, e^{j2\theta_m})u_1 = 0,$$

where \bar{u}_1 means the complex conjugate of u_1 . This implies that either $I - \Delta G$ is not invertible or $(I - \Delta G)^{-1}$ is not in \mathcal{RH}_∞ . \square

3. Parametric perturbation

In this section, we construct an example of symmetric G which gives

$$\inf\{\sigma_1(\Delta): \Delta \text{ is a real symmetric matrix, } (I - \Delta G)^{-1} \notin \mathcal{RH}_\infty\} > \left\{ \sup_{\omega \in \mathbb{R} \cup \{\infty\}} \mu_{\mathbb{R}}[G(j\omega)] \right\}^{-1}.$$

Consider

$$G(s) = \begin{bmatrix} \frac{-2s(s-1)}{(s+1)^3} & 0 \\ 0 & \frac{-2s(s-1)}{(s+1)^3} \end{bmatrix}.$$

Clearly, G is symmetric. Since G is diagonal with repeated diagonal elements, it follows from [3] that $\mu_{\mathbb{R}}[G(j\omega)] = \sigma_1[G(j\omega)]$. Simple computation shows that the only maximizer of $\sigma_1[G(j\omega)]$ is $\omega = 1$ and $G(j1) = \begin{bmatrix} j & 0 \\ 0 & j \end{bmatrix}$. Since the eigenvalues of a real symmetric matrix are always real, there exists no real symmetric matrix such that $\det[I - \Delta G(j1)] = 0$. This implies that

$$\inf\{\sigma_1(\Delta): \Delta \in \mathbb{R}^{2 \times 2}, \Delta^T = \Delta, \det[I - \Delta G(j1)] = 0\} = \infty > \mu_{\mathbb{R}}^{-1}[G(j1)] = 1.$$

At $\omega \neq 1$,

$$\inf\{\sigma_1(\Delta): \Delta \in \mathbb{R}^{2 \times 2}, \Delta^T = \Delta, \det[I - \Delta G(j\omega)] = 0\} \geq \sigma_1^{-1}[G(j\omega)] > \sigma_1^{-1}[G(j1)] = 1.$$

Hence

$$\inf\{\sigma_1(\Delta): \Delta \in \mathbb{R}^{2 \times 2}, \Delta^T = \Delta, (I - \Delta G)^{-1} \notin \mathcal{RH}_\infty\} > 1 = \left\{ \sup_{\omega \in \mathbb{R} \cup \{\infty\}} \mu_{\mathbb{R}}[G(j\omega)] \right\}^{-1}.$$

4. Conclusion

In this note, we have shown that for symmetric systems, the robustness analysis for certain structured dynamic perturbations is as easy as that for unstructured dynamic perturbations. The results are stated and proved based on the stability notion of continuous time systems. However, the results have obvious discrete-time counterparts and can also be extended to handle a more general stability notion in terms of pole locations in the complex plane. Furthermore, nonlinear and time-varying perturbations can also be easily incorporated in the analysis.

We also provide further evidence that the robustness analysis for structured parametric perturbations is much more difficult than for unstructured parametric perturbations, even when the plant is symmetric.

References

- [1] M.J. Chen and C.A. Desoer, Necessary and sufficient condition for robust stability of linear distributed systems, *Int. J. Control* **35** (1982) 255–267.
- [2] J.C. Doyle, Analysis of feedback systems with structured uncertainties, *Proc. IEE*, Part D. **129** (1982) 242–250.
- [3] D. Hinrichsen and A.J. Pritchard, A note on some differences between real and complex stability radii, *Systems Control Lett.* **14** (1990) 105–113.
- [4] R.A. Horn and C.R. Johnson, *Matrix Analysis* (Cambridge Univ. Press, Cambridge, 1985).
- [5] M. Ikeda, Symmetric controllers for space structure with collocated sensor and actuators, preprint, 1994.
- [6] S.M. Joshi, *Control of Large Flexible Space Structures* (Springer, Berlin, 1989).
- [7] L. Qiu, B. Bernhardsson, A. Rantzer, E.J. Davison, P.M. Young and J.C. Doyle, A formula for computation of the real stability radius, *Automatica* (1995), 879–890.
- [8] M.G. Safonov, Stability margin of diagonally perturbed multivariable feedback systems, *Proc. IEE*, Part D. **129** (1982) 251–256.
- [9] S. Yamamoto and H. Kimura, Robustness analysis of symmetric systems based on the structured singular values, in: *Proc. 1st Asian Control Conf.*, Vol. 1 (1994) 359–362.
- [10] S. Yamamoto and H. Kimura, On structured singular values of reciprocal matrices, in: *Proc. American Control Conf.* (1995) 3358–3359.